Indication of any immediate medical attention needed:

5 Fire-fighting measures

Extinguishing agents: Special hazards: Protective equipment for firefighters: Revised On 01/02/2020

1 Identification of the substance and manufacturer		
Trade name:	GREEN FLUORESCENT	
Product code: Recommended use: Uses advised against: Manufacturer/Supplier:	KF00200668 Paint and coatings application. Any that differs from the recommended use. Keson LLC 810 Commerce Street Aurora, IL 60504-7931 Phone: 1-800-34-KESON www.keson.com	
Emergency telephone number:	1-800-255-3924	
STOT SE 3 H335 May cause re	mmable aerosol. a under pressure; may explode if heated.	
	GHS02 GHS04 GHS07 GHS08	
Signal word Hazard statements	Danger Extremely flammable aerosol. Contains gas under pressure; may explode if heated. May cause respiratory irritation.	
Precautionary statements	Maý cause damage tó organs through prolonged or repeated exposure. Keep away from heat/sparks/open flames/hot surfaces No smoking. Do not spray on an open flame or other ignition source. Pressurized container: Do not pierce or burn, even after use. Do not breathe dust/fume/gas/mist/vapors/spray. Use only outdoors or in a well-ventilated area. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a poison center/doctor if you feel unwell. Store in a well-ventilated place. Store locked up. Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F. Dispose of contents/container in accordance with local/regional/national/international reg	gulations.
3 Composition/information on in Chemical characterization: Mixture Chemical Description:	-	
Dangerous components:		
64742-89-8 VM&P Naphtha		17.98%
74-98-6 propane		17.01%
1317-65-3 Calcium Carbonate		14.97%
106-97-8 n-butane		9.99%
64742-47-8 Mineral Spirits		4.53%
4 First-aid measures		
After inhalation:	Supply fresh air; consult doctor in case of complaints.	
After skin contact:	Remove contaminated clothing. Wash exposed area with soap and water. Rinse opened eye for several minutes under running water. Then consult a doctor.	
After eye contact:	Rinse opened eye for several minutes under running water. Then consult a doctor.	
After swallowing:	Rinse mouth with water. Do not induce vomiting.	
Most important symptoms and effects:	Dizziness	

No further relevant information available.

A respiratory protective device may be necessary.

CO2, extinguishing powder or water spray. Fight larger fires with water spray. Can form explosive gas-air mixtures.

(Contd. on page 2)

Page 2/3

— .	
Trade name: GREEN FLUORESCENT	
	(Contd. of page 1)
6 Accidental release measures	
Personal precautions, protective	
equipment and emergency procedures:	Use respiratory protective device against the effects of fumes/dust/aerosol.
Methods and material for	
containment and cleaning up:	Absorb liquid components with liquid-binding material.
7 Handling and storage	
Precautions for safe handling	Use only in well ventilated areas.
Storage requirements:	Keep away from sources of heat and direct sunlight. Do not warehouse in subfreezing conditions.
	Store locked up.
8 Exposure controls/personal pro	tection
	require monitoring at the workplace:
74-98-6 propane	· · · · · · · · · · · · · · · · · · ·
PEL (USA) Long-term value: 1800 m	
REL (USA) Long-term value: 1800 m TLV (USA) refer to Appendix F inTLV	
106-97-8 n-butane	
REL (USA) Long-term value: 1900 m	
TLV (USA) Short-term value: 2370 m (EX)	ng/m³, 1000 ppm
Hygienic protection:	Wash hands after use.
	Do not eat or drink while working.
Breathing equipment:	A respirator is generally not necessary when using this product outdoors or in large open areas. In cases where short and/or long term overexposure exists, a charcoal filter respirator should be worn.
	If you suspect overexposure conditions exist, please consult an authority on chemical hygeine.
Hand protection:	Nitrile gloves. The glove material must be impermeable and resistant to the substance.
Eye protection:	Tightly sealed goggles
0 Physical and chamical propertie	
9 Physical and chemical propertie Appearance:	Aerosol.
Odor:	Aromatic
Odor threshold:	Not determined.
pH-value: Melting point/Melting range	Not determined. Undetermined.
Boiling point:	-44 °C (-111.2 °F)
Flash point:	-19 °C (-66.2 °F)
Flammability (solid, gas): Decomposition temperature:	Extremely flammable. Not determined.
Auto igniting:	Product is not self-igniting.
Danger of explosion:	In use, may form flammable/explosive vapour-air mixture.
Lower Explosion Limit:	1.7 Vol %
Upper Explosion Limit:	10.9 Vol %
Vapor pressure: Relative Density:	Not determined. Between 0.77 and 0.85 (Water equals 1.00)
Vapor density	Not determined.
Evaporation rate Partition coefficient: n-octonal/wate	Not applicable. er: Not determined
Solubility:	Not determined.
Viscosity:	Not determined.
VOC content (less exempt solvents Water:	(); 49.9 % 24.4 %
10 Stability and reactivity	
Reactivity:	Stable at normal temperatures.
Conditions to avoid:	Do not allow can to exceed 120 degrees Fahrenheit. Do not warehouse in subfreezing temperatures.
Chemical stability:	Not fully evaluated.
Possibility of hazardous reactions: Incompatible materials:	No dangerous reactions known. No further relevant information available.
moompatible materials.	(Contd. on page 3)

Page 3/3

	Safety Data Sheet
Printing date 01/02/2020	Revised On 01/02/2020
Trade name: GREEN FLUORESCENT	
Hazardous decomposition:	No dangerous decomposition products known. (Contd. of page 2)
11 Toxicological information	
LD/LC50 values that are relevant f	or classification:
106-97-8 n-butane	
Inhalative LC50/4 h 658 mg/l (rat)	
Information on toxicological effec Skin effects:	ts: No data available. No irritant effect.
Eye effects:	No irritating effect.
Sensitization:	No sensitizing effects known.
12 Ecological information	
Aquatic toxicity:	Hazardous for water, do not empty into drains.
Persistence and degradability:	The product is degradable after prolonged exposure to natural weathering processes.
Other information:	This product does not contain any chlorofluorocarbons (CFC's), hydrochlorofluorocarbons (HCFC's), perfluorocarbons (PFC's), heavy metals (chromium, lead, cadmium), or chlorinated
	solvents.
Bioaccumulative potential: Mobility in soil:	No further relevant information available. No further relevant information available.
Other adverse effects:	No further relevant information available.
12 Dianagal considerations	
13 Disposal considerations Dispose of in accordance with local	, state, and federal regulations. Do not puncture, incinerate, or compact. Partially empty cans must be
disposed of responsibly. Do not heat	t or cut empty containers with electric or gas torches.
Recommendation:	Completely empty cans should be recycled.
14 Transport information	
UN-Number	UN1950 N/A
DOT DOT	Consumer Commodity ORM-D
-	Aerosols, flammable
ADR	1950 Aerosols
Transport hazard class(es): Class	2.1
Marine pollutant:	No
Special precautions for user: EMS Number:	Warning: Gases F-D,S-U
Packaging Group:	F-D,3-0
UN "Model Regulation":	UN1950, Aerosols, 2.1
15 Regulatory information	
SARA Section 355 (extremely haza	ardous substances):
None of the ingredients in this produ	
SARA Section 313 (Specific toxic	
None of the ingredients is listed.	
Toxic Substances Control Act	
(TSCA):	All hazardous ingredients are found on the inventory list of substances.
Canadían Domestic Substances L (DSL):	All ingredients are listed or exempted.
Consumer Product Safety	
Comission (CPSC):	This product complies with 16 CFR 1303 and does not contain more than 90 ppm of lead.
California Proposition 65 chemica	IS KNOWN TO CAUSE CANCER:
100-41-4 ethyl benzene	
	e birth defects or reproductive harm:
None of the ingredients is listed.	
EPA: None of the ingredients is listed.	
Hone of the ingrouonts is listed.	
16 Other information	
16 Other information Contact:	Regulatory Affairs